




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

方管



图号	A(mm)	T(mm)	重量(kg/m)	备注
070045	6	实心	0.098	
0102	8	实心	0.173	
0110	10	1.0	0.098	
0153		实心	0.271	
R22	12	1.6	0.180	
010047		2.5+0.2/-0	0.268	
010014	12.7	1.27	0.157	
0117	13	实心	0.458	
0111	15	1.0	0.152	
ZL-392		2.0+0.2/-0	0.298	
010080	15.37	1.27+0/-0.2	0.198	有ID MARK 8R-0.79
0159	15.8	1.6	0.246	
010097	15.87	1.14	0.184	4-R1.14,有V槽
0101	16	0.9	0.147	
010027	16.3	1.2	0.200	
0804	18	0.7	0.131	
0158	19	1.2	0.232	
HC210	19.05	0.8	0.158	
010022		1.27	0.244	4-R0.51
3F-015	20	0.8	0.167	
0103		0.9	0.186	
0103C		1.0+0.1/-0.1	0.206	
010005		1.0+0.15/-0.15	0.206	
010013		1.2	0.245	
0116		1.6	0.319	
0154		2.0	0.390	
QABK-12		2.0	0.367	外4-R3.5,内4-R1.5

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA

广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

方管



图号	A(mm)	T(mm)	重量(kg/m)	备注
0805	21	0.7	0.154	
0807	24	0.7	0.177	
0105	25	0.9	0.235	
30 02315		2.0	0.496	4-R0.8
010003		2.0	0.500	
010021	25.4	1.27	0.332	4-R0.51
0118C		2.8	0.686	
010054		3.18	0.784	
S50-52	28	2.3	0.639	
2-0001	30	1.3	0.405	
010060	31.75	3.18	1.003	
0106	38	0.9	0.362	
LG702		2.0	0.780	
010016	38.1	1.2	0.480	
010035		1.14	0.436	4-R6.35
010032		1.58	0.636	
SSH-139E		3.0	1.141	
010061		3.18	1.224	
0801	40	0.7	0.298	
0104		0.8(另两侧0.9)	0.361	
3F-020		0.9	0.381	
SS-R010002		1.12	0.475	内4-R1.2
010002H		1.2+0.1/-0.1	0.505	
010002		1.2+0/-0.15	0.505	
010001		1.8	0.745	
010018		4.0	1.561	
010073		2.5	1.016	

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。

通用型材系列



图号	A (mm)	T (mm)	重量(kg/m)	备注
010066	44	1.4	0.647	
0806	44.5	1.2	0.563	
0806C		1.4	0.654	
ZL-303	50	1.1(另两侧1.6)	0.713	
0107		1.2	0.635	
010067		1.4+0.15/-0.05	0.738	
010095		2.0	1.040	
YLA-619		3.0	1.523	
SSH-151	50.8	1.2	0.645	
010101		1.525	0.830	有ID MARK
HC212		1.98	1.044	
010062		3.18	1.672	
010058		4.78	2.353	外4-R6.35, 内4-R3.18
YKD-02	52	5.0	2.550	内4-R1.0
010076	60	3.0	1.854	
010019		4.0	2.428	
010030	62	2.5	1.613	内4-R0.5
010094	70	1.1+0.05/-0.1	0.822	
0108	76	1.2+0.1/-0.05	0.973	
0108K		1.6	1.290	
0108F		2.0	1.604	
0108G		3.0	2.374	
0108Q		5.0	3.848	
SSH-176B		1.2+0.1/-0.1	0.973	
010059	76.2	6.35	4.685	外4-R11.13, 内4-R5.56
0156	80	1.2	1.025	
010079		1.7	1.443	
010020		3.0	2.504	
010033		5.0	4.065	

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。

通用型材系列



图号	A (mm)	T (mm)	重量(kg/m)	备注
0157	90	1.8	1.721	
0109A	100	1.2+0.15/-0	1.285	
0109C		1.4	1.496	
0109K		1.6	1.707	
0109T		1.8	1.916	
0109F		3+0.3/-0	3.307	
A010074	151.59	4.37	7.113	
010023	152.4	2.8	4.541	
010028	200	3.0	6.406	
A010075	202.39	4.37	9.568	

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

开口管 (槽)



图号	A (mm)	B (mm)	T (mm)	重量(kg/m)	备注
0215	6	6	1.0	0.043	
0203	8	8	1.0	0.060	
020064	8.3	15	0.9	0.089	
0222A	10	10	0.7	0.054	
0222		10	1.0	0.075	
0220		15	1.0	0.103	
020004		20	1.0+0.15/-0.15	0.130	
0216		20	1.0+0.1/-0.1	0.130	
0202A		12	12	0.7	0.066
0202	12		1.0	0.092	
020057	16		壁厚不均 (1.2, 2.0)	0.156	8-R0.5
020007	12.7	20	2.0	0.264	
0221	13.5	30	1.5	0.287	
0204	15	10	1.0	0.089	
020123		15	0.8	0.094	
020006	15.6	10	0.8	0.073	2-R0.8
0214	15.8	15.8	3.0	0.337	
020008	17.1	13(另边10)	0.8	0.083	2-R0.8
2004	18	7	1.4(两侧4.0)	0.190	
2004A		7	1.0(两侧3.0)	0.146	
LD0555		12	2.6	0.259	
020124	18.2	12.2	2.5	0.255	
020056	18.5	10	3.0	0.264	4-R0.5
020002		18	1.2	0.169	
0225	19	14	1.9	0.222	
020029		28	2.5	0.474	
020014	19.8	19.8	1.9	0.286	

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。

广力得 德米米




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

开口管 (槽)



图号	A (mm)	B (mm)	T (mm)	重量(kg/m)	备注
020045	20	20	0.7	0.111	
0213		20	2.0	0.304	
L-1102		25	3.0	0.520	
L-1102P		25	两侧2.6, 另一边3.0	0.473	
020023		4.5	2.3(一侧3另侧1.5)	0.151	
020041	20.4	19	0.7	0.108	
0218	21	12	1.0	0.117	
020015	21.3	11	1.25	0.129	弧面R46
020059	22	12	2.3	0.244	2-R3.5, 4-R0.3
020009	22.2	10	1.0	0.109	
020003	22.5	22	1.2	0.208	
LG701	25	35	1.2	0.301	
020111	25.3	3	1.6(两侧5.15)	0.148	
0223	27	15	1.0	0.149	
020087		20	0.9	0.159	
020128	28.44	69.85	1.52	0.702	内2-R2.29
020012	30	12	3.5(两侧5)	0.515	
020120		25	1.4	0.293	
ZL-1252	30.96	50.8	2.77	0.981	内2-R2.29
020016	31.5	12.5	4(两侧9)	0.756	
020055	31.75	31.75	3.175	0.765	
020052	34	12	1.6+0.2/-0	0.253	
020053	36	38	2.0	0.584	6-R0.5
020105	38	10	1.2	0.181	
020039		12	1.0	0.163	
020026		25	1.2	0.278	
Gc38494		49	4+0.25/-0.15	1.388	倒角R1.5

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。

广力得 德米米



通用型材系列

开口管 (槽)

图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
SS-58	40	20	1±0.1	0.211	
SS-H58		20	1+0/-0.15	0.211	
SS-R17		20	1.6+0.15/-0	0.330	
SS-17		20	1.9	0.392	
020054		40	2.0	0.628	8R-0.79
020051	43	25	3.0+0.2/-0	0.732	
020065	44	25	2.0	0.488	
020040	45	20	0.9	0.203	
020112	50	4.5	1.9+0/-0.2	0.284	
020038		12	1.0	0.195	
020024	50.8	12.7	3.2	0.605	
020082		25.4	3.18	0.836	
020085		50.8	4.78	1.881	
020063	51.03	31.75	壁厚不均 (1.575, 2.29)	0.579	
020030	54	25	2.0	0.542	
YL-659	56	4	1.2	0.199	带V槽
020110	58	15	1.2	0.278	
020034	58.4	6	1.7+0.1/-0.15	0.309	
ZH030	60	50	4.0	1.648	
020109	64.7	15	1.2	0.299	
0217	70	23	1.2	0.369	
020094	74.4	12	1+0.05/-0.1	0.261	
020091	76	10	1.4	0.354	
0212		18	1.2	0.356	
020086	77	17	1.0	0.295	
020025	78.5	25	1.5	0.510	4-R0.5
020131	80	5	3.0	0.683	
B8811	82	16	1.2+0.1/-0.05	0.363	
QD86122M	86	20	1+0.05/-0.1	0.336	
020077	87	12	0.9	0.266	
020017	88	18	1.2	0.395	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。



通用型材系列

开口管 (槽)

图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
0219	90	18	1.2	0.402	
020075	96	13	0.9	0.293	
0211	100	18	1.2	0.434	
0211D	100	18	1.5	0.541	
020067	108	70	2.0	1.322	
020031	120	17.5	4.5 (两侧5, 倒角R2)	1.811	
020088	126.2	28.75	2.5	1.220	内2-R3
020074	150	60	3.0	2.157	内2-R3
020035	153.4	8	1.7	0.765	
020126	198	22	两侧1.5, 另一边2.0	1.236	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

角 铝



图号	A (mm)	B (mm)	T (mm)	重量 (kg/m)	备注
0312	10	10	1.0	0.051	备注
030116	10	10	2.0	0.098	
0303	12	12	1.0	0.062	
SEA-429C	12.7	12.7	2.7	0.166	
0347	15	10	1.0	0.065	
030008	15	12	3.0	0.195	
030048	15	12	2.0	0.136	
0313	15	15	1.0	0.079	
030114	19	7	1.0	0.068	
030018	19	19	2.0	0.195	
030019	19	19	3.0	0.285	
030078	19.05	12.7	3.175	0.246	
030054	19.05	19.05	1.27	0.126	5-R0.38
SEA-439F	19.05	19.05	2.70	0.259	
ZL-762	19.05	19.05	3.18	0.306	两端R2.39, 内侧R3.18
030055	19.05	19.05	3.175	0.300	5-R0.38
0343	20	10	1.0	0.079	
0351	20	10	2.0	0.152	
030022	20	15	3.0	0.260	
030035	20	17	2.0	0.190	
030012	20	20	0.8	0.085	
0302	20	20	1.0+0.1/-0.1	0.106	
3F-010	20	20	1.0+0.15/-0.15	0.106	
030074	20	20	1.6	0.167	
030037	20	20	2.0	0.206	
030123	20	20	1.2	0.126	
030021	22	12	2.0	0.173	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

角 铝



图号	A (mm)	B (mm)	T (mm)	重量 (kg/m)	备注
030063	22.23	12.7	3.18	0.273	
0346	25	15	1.0	0.106	
0344	25	15	1.5	0.157	
0320	25	20	2.0	0.233	
030007	25	20	2.5	0.288	
030103	25	20	1.5	0.176	
0321	25	25	0.85	0.113	
0304	25	25	1.0	0.133	
0324	25	25	2.0	0.260	
0322	25	25	3.0	0.382	
030006	25	25	4.0	0.499	
030109	25.4	25.4	1.02	0.139	R0.51
030056	25.4	25.4	1.27	0.170	5-R0.38
SEA-425	25.4	25.4	2.7	0.352	
030057	25.4	25.4	3.175	0.409	5-R0.38
030036	26	22	2.0	0.249	
030091	27	20	3.0	0.358	
030053	30	13	3.0	0.325	
0341	30	15	1.0	0.119	
030182	30	18	3.0	0.366	
030173	30	19+0/-0.3	3.0	0.374	
0342	30	20	1.0	0.133	
5-0001	30	20	1.5	0.197	
0332A	30	20	2.0	0.260	
0332	30	20	3.0	0.382	
030034	30	22	2.0	0.271	
030014	30	30	0.9	0.144	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

角 铝



图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
0314	30	30	1.0	0.160	
030179	30	30	2.1	0.330	
030141	30	30	2.36	0.369	
030030	30	30	2.5	0.390	
0328	30	30	2.75	0.427	
0316	30	30	2.8	0.434	
0325	30	30	3.0	0.463	
030163	30	41	3.0	0.553	
030085	31.75	31.75	3.18	0.530	
030016	33	27	3.0	0.463	
030017	33	27	4.0	0.607	
030009	33	30	4.0	0.639	
030102	35	20	1.5	0.217	
GJ-KM08	37	12	1.5	0.193	1-R0.5
030004	37	12.7	1.6+0.2/-0	0.222	
0339	38	19	2.8	0.411	
KM05	38	24	4.5	0.699	
0333	38	25	3.0	0.487	
CW02-07	38	28	4.0	0.672	带V型槽
0338	38	30	2.0	0.358	
0323	38	38	2.9	0.574	
030059	38	32	4.0	0.715	
HC506	38.1	19.05	3.175	0.463	
030083	38.1	25.4	1.73	0.295	
030097	38.1	31.75	1.42	0.284	内R1.58, 两端2-R0.79
SEA-423	38.1	38.1	2.7	0.538	
030051	38.1	38.1	3.175+0/-0.2	0.628	4-R0.5
030089	38.1	38.1	3.175	0.628	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。

广力格 德米米




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

角 铝



图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
ZL-755	38.1	38.1	3.18	0.643	两端R3.18内側R4.75
HC505	38.1	38.1	4.76	0.918	
ZL-756	38.1	38.1	4.78	0.945	两端R3.18内側R4.78
0340	40	15	1.5	0.217	
030104	40	25	2.7	0.455	
YLA-0008	40	30	4.5	0.796	
4-0001	40	40	1.0	0.214	
0315	40	40	1.5	0.319	
0326	40	40	2.0	0.423	
030075	40	40	2.5	0.525	
030040	40	40	3.3	0.686	
0327	40	40	3.55	0.735	
0317	40	40	3.8	0.784	
030095	40	40	4.0	0.824	
030140	40	40	2.85	0.595	
030073	40.5	20	2.0	0.333	不规则
030163	41	30	3.0	0.553	
030072	45	20	3.0	0.504	
030043	50	30	4.0	0.824	
030172	50	50	3.0	0.789	
0318	50	50	3.9	1.016	
030106	50	50	5.0	1.286	1-R1.0, 4-R0.5
030164	50	50	6.0	1.528	
1501-19	50	38	5.0	1.125	
SUA-127B	50.8	25.4	2.7	0.538	
030094	50.8	25.4	3.0	0.595	
SEA-439	50.8	50.8	2.7	0.724	
ZL-761	50.8	50.8	3.18	0.876	两端R3.18内側R6.35

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。

广力格 德米米




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



通用型材系列

角 铝




图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
ZL-757	50.8	50.8	4.78	1.280	两端R3.18内侧R4.78
030090	50.8	50.8	6.35	1.639	
030005	55	45	5+0.3/-0	1.328	
030189	60	15	5.0	0.949	
030041	60	60	6.0	1.854	
0345	65	20	1.5	0.339	
030033	65	35	6.0	1.527	有两V槽
0329	75	75	12.0	4.488	
030031	76.2	25.4	3.0	0.802	
030084	76.2	38.1	2.39	0.739	
ZL-759	76.2	50.8	4.78	1.624	两端R4.78内侧R7.93
ZL-758	76.2	76.2	6.35	2.554	两端R6.35内侧R7.93
030032	76.2	76.2	3.0	1.215	
0331C	76.2	76.2	6.0	2.380	
030082	79.38	22.23	1.58	0.435	2-FR, R1.58, R0.79
030087	80	60	5.0	1.829	
030042	80	60	6.0	2.179	
030088	85	80	5.0	2.168	
030098	90	22	5.0	1.450	
030093	90	50	5.0	1.829	1-R0.5
030050	90	70	10(另边12)	4.395	不规则
030137	90	90	6.0	2.829	
TL019	101	20	3.1	0.990	
TL020	101	40	3.1	1.158	
ZL-760	101.6	50.8	4.78	1.976	两端R4.78内侧R9.53

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



通用型材系列

角 铝



图号	D(mm)	T(mm)	重量(kg/m)	备注
0446	4	实心	0.034	
0453	6	实心	0.077	
0441	8	1.0	0.060	
0403		实心	0.136	
2865	8.7	0.7	0.048	
CGS-02		2.0	0.114	
CGS-013		实心	0.161	
SRT-352	9.5	1.0	0.072	
040073	9.53	实心	0.193	
0428	10	0.9	0.069	
0440		1.0+0.1/-0.1	0.077	
0452		1.0+0.15/-0.15	0.077	
R14		1.2	0.090	
040006		2.0	0.136	
0447		实心	0.213	
040104	11	1.0	0.085	
0454	11.98	3.99	0.272	
0427	12	0.9	0.085	
0427B		1.0	0.094	
R13		1.2	0.110	
040122		2.35	0.193	
0445		实心	0.307	
SRT-348	12.7	1.0	0.100	
040072		实心	0.343	
040105		1.27	0.126	
040089	12.8		0.218	内圆带齿
0451	13	1.0	0.102	
040071		2.0	0.187	
040022		实心	0.360	
0468	13.3	4.2	0.325	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。



广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列



图号	D(mm)	T(mm)	重量(kg/m)	备注
040023	14	实心	0.417	
040045		1.5	0.160	
0465	15	0.7	0.085	
0425		0.9	0.108	
040154	15.8	1.15	0.143	合金模
0423	16	1.0	0.128	
R12		1.2	0.151	
0450		3.0	0.332	
0462		实心	0.545	
0466	18	0.7	0.103	
0402		1.0	0.145	
0448		2.0	0.273	
040135		3.5	0.432	
0442		实心	0.690	
0464		实心	0.690	D=18+0.1/-0.1
0422		0.9	0.139	
0421		1.4	0.210	
0457	19	4.5	0.556	
040016		实心	0.768	
040075	19.05	1.27	0.192	
040066	19.6	实心	0.818	
0439	20	1.0	0.162	
R11		1.2	0.192	
040042		1.8	0.280	内有凸线
NA-17		2.5	0.373	
040010		3.0	0.434	
040247	21	5.75	0.698	
040044		实心	0.939	
0467		0.7	0.121	
HBC004	21.6	3.0	0.475	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。



广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列



图号	D(mm)	T(mm)	重量(kg/m)	备注
0416	22	1.0	0.179	
040002		1.5	0.262	
040054		5.0	0.724	
040035		实心	1.030	
0443B	24	1.05	0.205	
0443		1.5	0.287	
040012	24.9	1.2	0.242	
040098	25	0.7	0.145	
040017		0.9	0.185	
0413		1.1	0.224	
R10		1.2±0.1	0.243	
040200		1.2+0/-0.15	0.243	
040020		1.3	0.262	
040019		1.5	0.300	
040021		1.8	0.356	
0401		1.8	0.356	
040262		6.25	0.998	
040100	25.4	1.27	0.261	
040074		1.58	0.326	
040090		2.0	0.398	
040114	27	0.9	0.200	
0473		2.75	0.567	
040160	28	2.0	0.443	
0444		1.5	0.338	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。



广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



通用型材系列



图号	D(mm)	T(mm)	重量(kg/m)	备注
040171	28.58	0.8	0.193	
040108		1.195	0.284	
040032	30	1.5	0.364	
040009		2.0	0.477	
040172	31.75	0.8	0.215	
040185		0.89	0.238	
0419	32	1.0	0.264	
040051		实心	2.180	
040086	32.1	1.6	0.415	
040106	32.4	2.3	0.589	
040140	33.4	3.38	0.881	
040050	36	实心	2.758	
0438	38	1.1	0.346	
040120	38.1	1.397	0.445	
040196		1.980	0.622	
040069		实心	3.090	
040107	38.4	2.3	0.707	
040085	38.5	1.95	0.607	
0472	40	2.0	0.647	
040046		7.0	1.967	
040001	41	4.0	1.260	
78446	41.27	1.25	0.426	
0430	42	1.2	0.417	
040207	42.16	2.21+0.51/-0	0.767	
040145		3.56	1.193	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。



广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



通用型材系列



图号	D(mm)	T(mm)	重量(kg/m)	备注
0471	44.5	2.0	0.724	
040047	45	1.6	0.591	
040041		2.5	0.905	
040229	45.7	4.1	1.452	
0431	47.6	1.5	0.697	内有凸位
040146	48.26	3.68	1.426	
4838	48.3	3.8+0.2/-0.1	1.459	
040234	48.3	9.9	3.237	
040070	50	1.5	0.619	
040221		2.0	0.817	
040031		实心	5.321	
040078	50.8	1.5	0.630	
0470		3.0	1.221	
040239		3.175	1.313	
040113		6.35	2.403	
040228	51	2.0	0.834	
0456	55	5.75	2.411	
040230	55.6	2.0	0.913	
040109	56.4	0.8	0.379	
040018	58	1.2	0.580	
0459	58.5	7.5	3.257	
0455	59	6.5	2.905	
0461		实心	7.409	
040028	60	1.4	0.699	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

圆管



图号	D(mm)	T(mm)	重量(kg/m)	备注
040147	60.33	3.91	1.917	
040235	60.5	5.0	2.363	
040092	61.5	2.25	1.135	
040112	63.5	1.60	0.843	
040015		6.35	3.090	
040052	65	2.0	1.073	
040013	70	1.5	0.875	
040233		3.94	2.216	
040026	75	1.8	1.122	
0458	76	3.0	1.865	
0463		实心	12.294	
040110	80.1	1.6	1.069	
040040	82.55	2.675	1.819	
040148	88.9	7.62	5.380	
040084	94	7.5	5.523	
0460	100	23.5	15.306	
NFJ-03A	101.6	0.8	0.687	
NFJ-03	102.4	1.2	1.034	
040082	127	1.5	1.603	
040083	152	3.0	3.806	
A040192	153.47	3.71	4.824	
040192	153.97	3.96	5.163	
A040193	205.87	3.71	6.512	
040193	206.37	3.96	6.967	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

扁管



图号	A(mm)	B(mm)	T(mm)	重量(kg/mm)	备注
050051	10	8.6	0.8	0.074	
0147	15	10	0.9	0.113	
050084		6	0.8	0.084	
050177	18	6	0.8	0.097	
SS-83	18.5	8.5	0.9	0.123	倒角4-R1
050075	19.05	12.7	1.2	0.191	
050079	20	6	0.8	0.106	
050040		9	0.8	0.119	
0172		10	1.0	0.152	
050034		14	0.8	0.140	
0194	22	11	0.7	0.120	
050189	23	6	0.7	0.105	
0146	24	12.3	0.75	0.139	4-R1
050088	25	8	宽边1.15, 窄边1.2	0.181	内4-R1, 外4-R2.5
0145		12.7	0.9	0.175	
050108		1.1	0.212		
YL-9216		18	2.0	0.421	
050037		18	4.0	0.759	
NFJ-09		20	1.2	0.277	
050089	25.4	12.7	1.5	0.285	
050143	26.04	16.61	宽边1.32, 窄边1.27	0.291	内4-R1.91, 外4-R1.52
050087	30	8	宽边1.2, 窄边2.5	0.259	内4-R1, 外4-R2.5
0149		15	1.0	0.233	
20214		1.25	0.288	内有凸位	
YLA-0103		20	1.5	0.382	
YLA-A0103		25	1.5	0.423	
050081	32	12	2.0	0.434	
050130		21	0.8	0.222	
050009	35	5	1.0	0.206	
0127		18	1.5	0.407	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

扁管



图号	A(mm)	B(mm)	T(mm)	重量(kg/mm)	备注
0128A	38	25	0.9	0.299	
050097			1.2	0.394	
Z024			1.3	0.424	
050173	40	8	1.0	0.249	
YLA-0193		19	0.8	0.248	
GJ-KM17		20	1.7	0.522	
0173		30	3.0	1.040	4-R0.6
0173-1		30	3.0	0.978	外4-R6, 内4-R3
050014	44	23	1.2	0.420	
050126		25	1.4	0.502	
0193		25	1.2	0.433	
140-10		33	3.0	1.155	
050124	45	30	1.0	0.396	
050125		30	2.5	0.949	
050158		40	3.0	1.285	
050047	46	15	1.5	0.471	4-R0.5
0187		30	2.0	0.780	
050028	50	12	1.5	0.480	
050056		15	1.5	0.504	
050186		20	0.9	0.333	
0130		20	3.0	1.041	
0124A		25	0.9	0.357	
0124B			1.1	0.434	
0124			1.2	0.472	
0124D			1.5	0.585	
0124T			2.0	0.770	
ZL-304			1.6(两窄边1.1)	0.564	
0129			3.0	1.122	
0131	30	5.0	1.897		

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。

广力得 德米米




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA

广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

扁管



图号	A(mm)	B(mm)	T(mm)	重量(kg/mm)	备注
050180	50	35	1.5	0.667	
0135A		38	0.9	0.421	
0135			1.2	0.557	
ZL-328		40	宽边1.6, 窄边1.1	0.653	
050182	50.8	44	1.2	0.596	
050022			3.0	1.431	
050100	50.8	25.4	3.18	1.226	
050185	52.07	14.61	窄边1.145, 宽边1.27	0.433	有ID MARK
5816	58	25	1.2	0.524	
5816M			1.0	0.439	
050181	60	20	2.0	0.824	
0170			1.0	0.477	
050036			1.4	0.662	内4-R0.5
050110		30	0.93	0.444	
050078			2.0	0.932	
050035			35	1.4	0.700
050083	60	40	2.0	1.041	
050179		50	3.0	1.691	
050048	64	15	1.5	0.617	4-R0.5
LG005	68	35	1.2	0.650	带装饰线
050169	70	20	1.1+0.05/-0.1	0.523	
050147		25	1.0	0.504	
050015		44	2.0	1.192	
050187		50	2.0	1.257	
050161	70	60	3.0	2.016	
050162		73	18	1.0	0.475
050006	75	50	3.0	1.935	
050044		50	1.6	1.056	4-R0.5
050105		76	10	1.4	0.631

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。

广力得 德米米




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

扁管



图号	A (mm)	B (mm)	T (mm)	重量 (kg/mm)	备注
0121A	76	25	0.9	0.484	
0121B			1.1	0.589	
0121			1.2	0.641	
0121C			1.4	0.745	
0121K			1.6	0.848	
0182			2.0	1.051	
0121G			3.0	1.545	
0183			30	1.8	0.999
0137		38	1.1	0.666	
050127			1.3	0.785	
4528			4(窄边6)	2.623	
050157		40	3.0	1.789	
0139A		44	0.9	0.577	
0139B			1.1	0.702	
0139			1.2	0.765	
0139C			1.4	0.889	
0139K			1.6	1.013	
0139Q			1.8	1.136	
0139F			2.0	1.257	
0139T			2.5	1.558	
0139G	3.0		1.854		
0184	45		1.2(一短边2.5)	0.922	
050017	50	4.0	2.558		
SRH-257A	76.2	38.1	1.1	0.668	
Z213		44.45	3.0	1.857	
3F-021	80	20	0.8	0.427	
0125			0.9	0.479	
0122		25	1.2	0.667	
0122B			1.1	0.613	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

扁管



图号	A (mm)	B (mm)	T (mm)	重量 (kg/mm)	备注
0174	80	40	1.0	0.640	
050109			0.925	0.592	
050032		1.2	0.765		
0123		1.2	0.791		
0123C	44	1.4	0.920		
050033		1.5	0.984		
050122	85	30	宽边2, 窄边2.5	1.274	
050113		35	1.5	0.951	
050102	86	25	1.0	0.591	
050103		44	1.0	0.694	
050096	87	20	0.9	0.513	
0186	88	25	1.2	0.719	
0188		44	1.2	0.843	
0189A	90	25	0.9	0.552	
0189B			1.1	0.673	
0189			1.2+0.1/-0.05	0.732	
0189C			1.4	0.851	
0189F			1.0	0.613	
0189H			1.2+0.1/-0.1	0.732	
050095	96	23	0.9	0.572	
3F-019	100	20	0.8	0.513	
050111			0.955	0.611	
0126	100	25	1.0	0.640	
0133A			0.9	0.601	
0133B			1.1	0.732	
0133			1.2	0.799	
0133C			1.4	0.927	
0133K			1.6	1.056	
0133T			1.8	1.184	
0133F			2.0+0.3/-0	1.407	
0133G			3.0	1.935	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

扁管



图号	A (mm)	B (mm)	T (mm)	重量 (kg/mm)	备注	
050077	100	30	2.3	1.562		
0132			3.0	2.016		
050018		38	2.3	1.663		
0171		40	1.1	0.822		
0144B		44	44	1.1+0.05/-0.1	0.845	
0144				1.2	0.921	
0144C				1.4	1.071	
0144K				1.6	1.221	
0144Q				1.8	1.370	
0144F				2.0	1.518	
0144T				2.5	1.883	
LXC-2218				3.0	2.244	
050007		50	50	1.1	0.881	
050107				1.6	1.273	
050166				2.5	1.965	
050003				3.0	2.342	
0134				4.75	3.617	
050171				2.0	1.583	
050076				宽边3, 窄边5	2.877	壁厚不均, 4-R5
050191				58	1.4	1.178
050086	60			2.8	2.343	
050042	72			3.0	2.699	
050026	76	76	1.3	1.222		
050060			3.0	2.765		
SRH-421T	101.6	25.4	2.4	1.584		
9030	110	25	1.2	0.862		
9030C		25	1.4	1.003		
11036		30	2(窄边3)	1.616		
Hm15503	112	47	3.0	2.488		

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

扁管



图号	A (mm)	B (mm)	T (mm)	重量 (kg/mm)	备注
050080	115	25	1.4	1.041	内4-R2
A-8303		90	宽边5.0, 窄边7.0	6.161	
E-66		98	6.0	6.537	
050001	120	30	1.4	1.117	
050194		40	4.0	3.295	
050019		70	3.0	2.992	
050117	127	30	1.2	1.006	
YL-9329	130	30	1.5	1.272	
050163		50	2.0	1.908	
050123		75	宽边2.0, 窄边2.5	2.371	
SRCT-87	135	30	2.4	2.076	
050039	140	25	1.1	0.971	
050024			1.1	1.000	
13008		30	1.3	1.180	
13008C			1.4	1.269	
DS32			50	1.6	1.629
050055	145	50	3.0	2.992	
050172		50	2.0	2.022	
050170		90	2.0	2.504	
050176	150	100	3.0	3.886	
HM15532		40	一边2.5, 三边2.0	2.065	
050043			1.6	1.706	4-R0.5
050005	150	50	3.0	3.155	
050041			4.5	4.658	
050045			80	1.4	1.725
050002	180	50	4.0	4.813	
050057		140	4.0	6.774	内4-R2
050004	197	50	3.0+0.3/-0	4.099	
SRCT-86	210	40	2.4	3.178	

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

扁条



图号	A(mm)	T(mm)	重量(kg/m)	备注
070045	6	6.0	0.098	
DY007	10	3.0	0.081	4-R0.5
R7	10	3.0	0.081	
EDL-1	12	2.0	0.065	
R6	12	3.0	0.098	
070078	12.7	2.67	0.092	
070084	12.7	3.15	0.107	
SFB-451	12.8	3.0	0.104	
2009	13	3.0+0.2/-0	0.112	
EDL-2	15	2.0	0.081	
070007	15	3.0	0.121	4-R0.5
070129	15	5.0	0.203	
070030	16	5.0	0.217	
070049	17	1.8	0.083	
070002	18	3.5	0.171	
070061	19	3.5	0.180	
070085	19	3.8	0.196	
070011	19.05	2.95	0.152	
SFB-413	19.05	3.0	0.155	
070031	19.05	3.175	0.162	4-R0.81
070056	19.05	3.175	0.164	
070016	19.05	3.7	0.191	
070066	19.75	1.65	0.087	FR
070058	19.94	3.56	0.189	FR
R8	20	1.6	0.087	
2010	20	2.0	0.108	
2017	23.5	4.0	0.245	FR

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA

广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

扁条



图号	A(mm)	T(mm)	重量(kg/m)	备注
SFB-466	24.5	4.5	0.299	
R9	25	1.6	0.108	
2011	25	2.0	0.136	
2016	25	3.0	0.203	
070069	25	8.0	0.527	4-R2.5
070132	25.2	6.2	0.423	4-R0.5
070033	25.4	3.175	0.217	4-R0.81
2012	30	2.0	0.163	
070065	30	3.0	0.244	
2018	30	4.0	0.316	FR
ZKMT-48	30	4.0	0.325	
070050	30	6.0	0.488	
SFB-470	31.75	2.8	0.241	
070003	31.8	3.18	0.274	
070004	34	3.0	0.276	
070042	35	3.0	0.285	
SFB-417	38.1	2.8	0.289	
070032	38.1	3.175	0.326	4-R0.81
070067	38.1	4.78	0.503	
070010	40	2.0	0.217	
2019	40	4.0	0.424	FR
2014	40	6.0	0.650	
070029	40	6.0	0.650	
070048	42	3.0	0.341	
070060	44.45	2.36	0.290	
070054	44.45	4.78	0.576	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标

通用型材系列

扁条



图号	A (mm)	T (mm)	重量 (kg/m)	备注
2013	50	2.2	0.298	
2013C	50	2.8	0.379	
SFB-418	50.8	2.8	0.385	
070068	50.8	4.75	0.667	
070062	50.8	6.35	0.874	
070086	50.8	9.525	1.338	
070063	50.8	12.70	1.748	
070064	50.8	25.40	3.497	
070006	51	3.0	0.415	
070005	58	1.3	0.204	
070017	58	3.2	0.503	
070053	63.5	4.78	0.822	
070022	75	3.0	0.610	
070001	76	5.0	1.030	
070059	76.2	2.03	0.428	
070081	76.2	6.35	1.338	
070133	90	10.3	2.512	
070123	94	1.7	0.432	4-R0.5
2020	100	2.8	0.759	
070057	101.6	2.39	0.671	
070082	101.6	6.35	1.784	
070015	103	9.0	2.512	
070023	106	8.0	2.298	
070014	130	1.8	0.634	4-R0.3
070027	145	10.0	3.930	
070130	152.4	6.35	2.676	4-R0.3
070037	160	10.0	4.336	FR
070028	180	10.0	4.878	
070105	189	6.2	3.176	
004	190	20	10.298	
070035	200	10.0	5.362	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



广东省著名商标 产品节能认证 中国名牌
中国驰名商标

通用型材系列

转角管



图号	A (mm)	B (mm)	T (mm)	重量 (kg/m)	a (度)	备注
080006	10	38.5	1.2	0.407	45	
XY-729		50	1.2	0.566	90	四分之一圆
0155	10.09	50.8	1.2	0.521	45	
0155C	10.09	50.8	1.4	0.605	45	
0161	10	50.8	1.6	0.762	60	
080022	10	60.0	3.0	1.458	45	
080020	18.63	63.0	2.0	1.426	78	
080002	10	76	1.3	0.782	30	不规则
080010		76	1.15	0.832	90	四分之一圆
QD7656F		76	1.15	0.740	68	
0162	10	76	1.2	0.835	60	
080010	0	76	1.15	0.832	90	四分之一圆
QD7651S		76	1.10	0.737	75	
0151	10	76.2	1.2	0.680	30	
0152	10	76.2	1.2	0.754	45	
080004	25	76.2	1.2	0.741	22	
0151C	10	76.2	1.4	0.790	30	
70411		79	1.25	0.932	90	
C8028B	10.83	80	1.2	0.795	45	
080012	10	82	1.1	0.741	45	
080001	10	88.0	1.2	0.777	30	
A8510S		90	1.20	1.030	90	四分之一圆
080014	10	90	1.2	1.022	75	扇形
080015	25	90	1.2	0.758	5	
080017	10	90	1.50	1.468	105	扇形
080011	0	95	1.4	1.140	70	扇形
080021	10	100	1.2	0.973	45	
9033		100	1.5	1.428	90	四分之一圆
080009		100	1.2	1.289	115	扇形
080018	15.01	100	2.0	1.845	60	
080019	15	100	2.0	1.499	30	
0160	10	101.6	1.6	1.310	45	
080003	10	140	1.6	1.781	45	

注意：所有图样重量均为理论重量，厚度为基材厚度，实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA



中国名牌 产品节能认证 广东省著名商标
中国驰名商标


通用型材系列

山字槽



图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
0207	16	7	1.0	0.092	
0206	16	12	1.0	0.133	
0201	20	10	1.0	0.127	
0205	20	18	1.0	0.192	
0011	21	14.1	1.0	0.163	
060003	25	12	1.0	0.157	
060001	84	50	1.3	0.808	2-R1, 3-FR

椭圆



图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
XL-669	100	40	5.0	2.906	
XY-154	19.8	12.1	1.5	0.188	
YL-9145	150	40	2.0	1.716	
XY-2618	136	106	1.75	1.784	

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。




广亚铝材门窗系列
THE SERIES OF DOOR&WINDOW OF GUANGYA

广东省著名商标 产品节能认证 中国名牌
中国驰名商标


通用型材系列

T字料



图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
T1515	15	15	1.0	0.079	
T1515C	15	15	1.5	0.116	
T00010	17.8	24.5	1.5	0.166	
T00008	19	18	1.0	0.096	2-R1.0, 1-FR
T2020	20	20	1.5	0.157	
T2525	25	25	1.5	0.197	
T3015	30	15	1.5	0.177	
T00009	40	40	5.0	1.017	2-R0.5
T00012	45	90	5.0	1.762	
T00017	50.8	127	6.35	3.010	
T00018	50.8	127	9.53	4.432	
T00019	50.8	152.4	9.53	5.101	
T00021	50.8	50.8	6.35	1.672	
T00022	50.8	101.6	6.35	2.564	
T00023	50.8	76.2	6.35	2.118	
T00020	63.5	228.6	7.95	6.244	
T00001	68	59	9.0	2.878	
T00011	75	120	13.0	6.412	

C字槽



图号	A(mm)	B(mm)	T(mm)	重量(kg/m)	备注
C001	14	16	2.2	0.258	
C003	14	18	2.2	0.281	
1501-07	16	21	3	0.455	
C00002	25.6	25.6	不规则	0.411	
C00005	29.7	15	1.0	0.173	
NA-19	42	20	3.2	0.791	
YKD-04	47.5	24	1.5	0.464	内4-R1.0
MOB-01	76	25	1.2	0.459	
MOB-01B			1.1	0.422	
MOB-01C			1.4	0.533	
C00004	76	44	1.2	0.684	
XL-617	80	70	1.5	0.943	
XL-616	80	133	1.5	1.702	要撕筋

注意: 所有图样重量均为理论重量, 厚度为基材厚度, 实际重量以过磅时的重量为准。